


Customer Maintenance Parts List

EJX310A, EJX430A, and EJX440A
Absolute and Gauge
Pressure Transmitters
(Pressure-detector Section)


DPharp **EJX**™

[Style: S2]


Horizontal Impulse Piping Type / Universal flange Type




Vertical Impulse Piping Type




● For EJX430A with Wetted parts material code H, M, T, A, D, and B




● For EJX440A



Bottom Process Connection Type



● For EJX310A low pressure side cover flange



Item	Part No.	Qty			Description
		EJX310A	EJX430A	EJX440A	
1	Below F9900GH F9900GT	1	1	1	O-ring Buna-N For Option code /HE, Fluoro-rubber
2	Below F9900EA F9900EA F9340GE F9900EA F9900EF	2 2 2 2	 2 2	 2	Gasket, (Note 1) For EJX310A, Teflon coated 316L SST For EJX430A with Wetted parts material code S, Teflon coated 316L SST For EJX430A with Wetted parts material code H, M, T, A, D, and B, PTFE Teflon For EJX440A, Teflon coated 316L SST For Option code /GS, EJX310A, EJX430A, or EJX440A, Gold plated 316L SST
3-1	Below 1 F9900TA F9900TB F9900TC F9900TD F9900UA F9900UB F9900TG F9900TH	1			Cover flange for EJX310A (Note 1) Rc 1/4 for horizontal impulse piping, ASTM CF-8M 1/4 NPT for horizontal impulse piping, ASTM CF-8M Rc 1/4 for vertical impulse piping, ASTM CF-8M 1/4 NPT for vertical impulse piping, ASTM CF-8M Rc 1/4 for universal flange, ASTM CF-8M 1/4 NPT for universal flange, ASTM CF-8M Rc 1/4 for bottom process connection, ASTM CF-8M 1/4 NPT for bottom process connection, ASTM CF-8M
3-1	Below 2 F9900TA F9900TB F9900TC F9900TD F9900UA F9900UB F9900TG F9900TH	1			Cover flange for EJX430A with Wetted parts material code S (Note 1) Rc 1/4 for horizontal impulse piping, ASTM CF-8M 1/4 NPT for horizontal impulse piping, ASTM CF-8M Rc 1/4 for vertical impulse piping, ASTM CF-8M 1/4 NPT for vertical impulse piping, ASTM CF-8M Rc 1/4 for universal flange, ASTM CF-8M 1/4 NPT for universal flange, ASTM CF-8M Rc 1/4 for bottom process connection, ASTM CF-8M 1/4 NPT for bottom process connection, ASTM CF-8M
3-2	Below 1 F9340VP F9340VR F9340VN F9340VQ	1			Cover flange for EJX430A with Wetted parts material code H, M, and T (Note 1) Rc 1/4 for horizontal impulse piping, ASTM CF-8M 1/4 NPT for horizontal impulse piping, ASTM CF-8M Rc 1/4 for vertical impulse piping, ASTM CF-8M 1/4 NPT for vertical impulse piping, ASTM CF-8M
3-2	Below 2 F9340VS F9340VT F9340VU F9340VV	1			Cover flange for EJX430A with Wetted parts material code A and D (Note 1) Rc 1/4 for horizontal impulse piping, Hastelloy C-276 equivalent 1/4 NPT for horizontal impulse piping, Hastelloy C-276 equivalent Rc 1/4 for vertical impulse piping, Hastelloy C-276 equivalent 1/4 NPT for vertical impulse piping, Hastelloy C-276 equivalent
3-2	Below 3 F9340TP F9340TR F9340TN F9340TQ	1			Cover flange for EJX430A with Wetted parts material code B (Note 1) Rc 1/4 for horizontal impulse piping, Monel equivalent 1/4 NPT for horizontal impulse piping, Monel equivalent Rc 1/4 for vertical impulse piping, Monel equivalent 1/4 NPT for vertical impulse piping, Monel equivalent
3-3	Below 1 F9900WR F9900WS F9900WP F9900WQ		1		Cover flange for EJX440A with Measurement span code C (Note 1) Rc 1/4 for horizontal impulse piping, F316 SST 1/4 NPT for horizontal impulse piping, F316 SST Rc 1/4 for vertical impulse piping, F316 SST 1/4 NPT for vertical impulse piping, F316 SST
3-3	Below 2 F9900WA F9900WB F9900WC F9900WD		1		Cover flange for EJX440A with Measurement span code D (Note 1) Rc 1/4 for horizontal impulse piping, F316 SST 1/4 NPT for horizontal impulse piping, F316 SST Rc 1/4 for vertical impulse piping, F316 SST 1/4 NPT for vertical impulse piping, F316 SST
4	Below F9340SA F9340SB F9340SE F9340SF F9340SS F9340ST	1 1 1 1 1 1	1 1 1 1	1 1	Vent plug R 1/4 with Wetted parts material code S, H, M, and T, 316 SST 1/4 NPT with Wetted parts material code S, H, M, and T, 316 SST R 1/4 with Wetted parts material code A and D, Hastelloy C-276 1/4 NPT with Wetted parts material code A and D, Hastelloy C-276 R 1/4 with Wetted parts material code B, Monel 1/4 NPT with Wetted parts material code B, Monel
5	Below D0114PB F9340SK F9270HG	1 1 1	1 1 1	1 	Vent screw With Wetted parts material code S, H, M, and T, 316 SST With Wetted parts material code A and D, Hastelloy C-276 With Wetted parts material code B, Monel

(Note 1) In case of degrease cleansing treatment (Option code /K1, /K2, /K5, or /K6), consult Yokogawa local office.

Item	Part No.	Qty			Description
		EJX310A	EJX430A	EJX440A	
6-1	Below				Drain plug for Horizontal impulse piping type / Universal flange type (Note 1)
	F9200CS	1	1	1	R 1/4 with Wetted parts material code S, H, M, and T, 316 SST
	D0114RZ	1	1	1	1/4 NPT with Wetted parts material code S, H, M, and T, 316 SST
	F9340SL		1		R 1/4 with Wetted parts material code A and D, Hastelloy C-276
	F9340SM		1		1/4 NPT with Wetted parts material code A and D, Hastelloy C-276
	F9340SW		1		R 1/4 with Wetted parts material code B, Monel
6-2	D0117MS		1		1/4 NPT with Wetted parts material code B, Monel
	Below	1	1	1	Drain plug for Universal flange type (Note 1)
	F9200CS				R 1/4, 316 SST
7	D0114RZ				1/4 NPT, 316 SST
	Below				Drain/vent plug
	F9340SC	1	1	1	R 1/4 with Wetted parts material code S, H, M, and T, 316 SST
	F9340SD	1	1	1	1/4 NPT with Wetted parts material code S, H, M, and T, 316 SST
	F9340SG		1		R 1/4 with Wetted parts material code A and D, Hastelloy C-276
	F9340SH		1		1/4 NPT with Wetted parts material code A and D, Hastelloy C-276
	F9340SU		1		R 1/4 with Wetted parts material code B, Monel
8	F9340SV		1		1/4 NPT with Wetted parts material code B, Monel
	Below				Drain/vent screw
	F9270HE	1	1	1	With Wetted parts material code S, H, M, and T, 316 SST
	F9340SJ		1		With Wetted parts material code A and D, Hastelloy C-276
9-1	D0117MR		1		With Wetted parts material code B, Monel
	Below 1	4			Bolt for EJX310A
	F9900AC				ASTM-B7M carbon steel
9-1	F9900AA				316L SST
	F9900AD				ASTM grade 660 stainless steel
	Below 2	4			Bolt for EJX430A, with Wetted parts material code S
9-1	F9900AC				ASTM-B7M carbon steel
	F9900AA				316L SST
	F9900AD				ASTM grade 660 stainless steel
9-2	Below	4			Bolt for EJX430A with Wetted parts material code H, M, T, A, D, and B
	F9340BC				ASTM-B7M carbon steel
	F9900AB				316L SST
9-3	F9900AR				ASTM grade 660 stainless steel
	Below		4		Bolt for EJX440A
	F9900AL				ASTM-B7M carbon steel
10-1	F9900AJ				316L SST
	F9900AQ				ASTM grade 660 stainless steel
	Below 1	4			Nut for EJX310A
10-1	F9900BC				ASTM-B7M carbon steel
	F9900BA				316L SST
	F9900BE				ASTM grade 660 stainless steel
10-1	Below 2	4			Nut for EJX430A with Wetted parts material code S
	F9900BC				ASTM-B7M carbon steel
	F9900BA				316L SST
10-2	F9900BE				ASTM grade 660 stainless steel
	Below	4			Nut for EJX430A with Wetted parts material code H, M, T, A, D, and B
	F9340CC				ASTM-B7M carbon steel
10-3	F9900BB				316L SST
	F9900BR				ASTM grade 660 stainless steel
	Below		4		Nut for EJX440A
11-1	F9900BL				ASTM-B7M carbon steel
	F9900BJ				316L SST
	F9900BP				ASTM grade 660 stainless steel
11-1	D0114RB	1	1		Gasket for EJX310A and EJX430A, PTFE Teflon (Note 1)
11-2	Below			1	Gasket/O-ring for EJX440A (Note 1)
	F9340GN				Measurement span code C, Fluorinated rubber O-ring
	F9202FJ				Measurement span code D, Glass reinforced Teflon gasket

(Note 1) In case of degrease cleansing treatment (Option code /K1, /K2, /K5, or /K6), consult Yokogawa local office.

Item	Part No.	Qty			Description
		EJX310A	EJX430A	EJX440A	
12-1	Below 1 F9340XY F9340XW F9340XZ F9340XX	1			Process connector for EJX310A Rc 1/4, ASTM CF-8M Rc 1/2, ASTM CF-8M 1/4 NPT, ASTM CF-8M 1/2 NPT, ASTM CF-8M
12-1	Below 2 F9340XY F9340XW F9340XZ F9340XX	1			Process connector for EJX430A with Wetted parts material code S, H, M, and T Rc 1/4, ASTM CF-8M Rc 1/2, ASTM CF-8M 1/4 NPT, ASTM CF-8M 1/2 NPT, ASTM CF-8M
12-1	Below 2 F9340WY F9340WW F9340WZ F9340WX	1			Process connector for EJX430A with Wetted parts material code A and D Rc 1/4, Hastelloy C-276 equivalent Rc 1/2, Hastelloy C-276 equivalent 1/4 NPT, Hastelloy C-276 equivalent 1/2 NPT, Hastelloy C-276 equivalent
12-1	Below 3 F9340TY F9340TW F9340TZ F9340TX	1			Process connector for EJX430A with Wetted parts material code B Rc 1/4, Monel equivalent Rc 1/2, Monel equivalent 1/4 NPT, Monel equivalent 1/2 NPT, Monel equivalent
12-2	Below F9340WV F9340WU F9340XT F9340XS	1			Process connector for EJX440A with Measurement span code C Rc 1/4, ASTM CF-8M Rc 1/2, ASTM CF-8M 1/4 NPT, ASTM CF-8M 1/2 NPT, ASTM CF-8M
12-3	Below F9271FD F9271FC F9271FF F9271FE	1			Process connector for EJX440A with Measurement span code D Rc 1/4, F316 SST Rc 1/2, F316 SST 1/4 NPT, F316 SST 1/2 NPT, F316 SST
13	Below F9900AU F9900AS F9340BZ	2	2	2	Process connector bolt ASTM-B7M carbon steel 316L SST ASTM grade 660 stainless steel
14	Below F9273CZ F9900SH	4	4	4	Transmitter mounting bolt SUSXM7 for Mounting bracket code B and D 316 SST for Mounting bracket code J and K
15	Below F9300TA F9900SA	1	1	1	Bracket assembly (Flat type) 304 SST 316 SST
16	Below F9340EC F9900SC	1	1	1	Bracket assembly (L type) 304 SST 316 SST
17	F9900SE	1	1		Bracket assembly (Bottom process connection), 316 SST and ASTM CF-8M
18	Below D0117XL-A F9900SN	1	1	1	U-bolt/nut assembly, 304 SST 316 SST
19	Below F9300TE F9900SB	1	1	1	Bracket (Flat type) 304 SST 316 SST
20	Below F9340EM F9900SD	1	1	1	Bracket (L type) 304 SST 316 SST
21	F9900SF	1	1		Bracket (Bottom process connection), ASTM CF-8M
22	F9900SG	2	2		Transmitter mounting bolt , 316 SST

(Note 1) In case of degrease cleansing treatment (Option code /K1, /K2, /K5, or /K6), consult Yokogawa local office.

Item	Part No.	Qty			Description
		EJX310A	EJX430A	EJX440A	
23-1	Below F9900TE F9900TF F9900UK	1			Cover flange for EJX430A with Wetted parts material code S, low pressure side For horizontal impulse piping, ASTM CF-8M For vertical impulse piping, ASTM CF-8M For universal flange, ASTM CF-8M
23-2	Below F9340RJ F9340RK	1			Cover flange for EJX430A with Wetted parts material code H, M, T, A, D, and B, low pressure side For horizontal impulse piping, ASTM CF-8M For vertical impulse piping, ASTM CF-8M
23-3	F9900TT	1			Cover flange for EJX310A, low pressure side, ASTM CF-8M
23-4	Below F9900WE F9900WF		1		Cover flange for EJX440A, low pressure side For horizontal impulse piping, F316 SST For vertical impulse piping, F316 SST
23-5	F9900TY		1		Cover flange for EJX430A, bottom process connection, low pressure side, ASTM CF-8M
23-6	F9900TZ	1			Cover flange for EJX310A, bottom process connection, low pressure side, ASTM CF-8M
24	Below F9275EC F9275ED	1	1	1	Vent plug (degreased), 316 SST R 1/4 1/4 NPT
25	F9275EE	1	1	1	Needle assembly (degreased), 316 SST

(Note 1) In case of degrease cleansing treatment (Option code /K1, /K2, /K5, or /K6), consult Yokogawa local office.